

## Product Change Notice (PCN)

**Date:** 7/7/2020

**PCN Number:** PCN-0451152R-01





**To Our Customers:**

We appreciate your use of CUI Devices products. Our commitment in maintaining and improving processes is demonstrated by plans to enhance our product quality, reliability and manufacturability. The purpose of this notice is to inform you of a product change.







**Product(s) Affected:** PJ-038A, PJ-038B, PJ-038AH, PJ-038BH

**Reason(s) for Change:** Existing metal and plastic molds need to be updated to maintain efficient production.





**Description of Change:** Thickness of pin 2 changed from 0.2mm to 0.25mm. Aesthetic changes as shown in below comparisons:

	Current version	New version
Outlook		
Front	<p>without chamfer</p> 	<p>with chamfer</p> 

# CUI DEVICES

Back	<p>cave marking location</p>  <p>cave marking location</p>	<p>cave marking location</p>  <p>cave marking location</p>
Top	<p>without injection mark</p>  <p>thickness of pin#2 is 0.2mm</p>	<p>with injection mark</p>  <p>thickness of pin#2 is 0.25mm</p>
Bottom	<p>rough surface</p>  <p>with injection mark</p>	<p>smooth surface</p>  <p>with injection mark</p>

# CUI DEVICES

Right	<p>rough surface</p> 	<p>smooth surface</p> 
Left	<p>rough surface</p> 	<p>smooth surface</p> 

**Affected Date Code:** October 1<sup>st</sup>, 2020

**Product Availability:** currently available

**Additional Information:** none

PCN Approval:

Operations/Quality



Product Marketing

